

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15367	crack.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:49
L2	124	1 and (substrate).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:48
L3	4	2 and (frequenc\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L4	8894	(detect\$5 sens\$5 measur\$5 transducer determin\$5 ) near3 (crack break\$5 brok\$5 chip\$5). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:53
L5	1921	4 and (insulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:50
L7	678	5 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L9	361	7 and (transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L10	121	9 and (coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L11	49	10 and (phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L12	37	11 and (resistor bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:51
L13	13	12 and (inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:52
L14	11	13 and (oscillat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:04

L15	522	(detect\$5 sens\$5 measur\$5 transducer determin\$5 ) near3 (crack ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:56
L16	45	15 and (substrate).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L17	18	16 and (pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:53
L18	11667	(detect\$5 sens\$5 measur\$5 transducer determin\$5 ) near3 (crack )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:56
L19	1786	18 and (substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 09:57
L20	18	16 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L21	9	20 and (induct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L22	165	19 and (resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L23	45	22 and (induct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L24	23	23 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:03
L25	7	24 and (oscillat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	133132	(crack\$5 split\$5 break\$5 ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L2	24704	1 and (insulat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L3	1285	2 and (oscillator\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L4	1030	3 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L5	652	4 and (induct\$5 coil )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L6	397	5 and (transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L7	240	6 and (resistor )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L8	86	7 and (bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L9	49	8 and (modulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L10	401129	(crack\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L11	66543	10 and (insulat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08
L12	0	11 and (oscillat5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:08

L13	3968	11 and (oscillat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L14	2621	13 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L15	1338	14 and (induct\$5 coil )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L16	800	15 and (transmit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:09
L17	310	16 and (resistor )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L18	91	17 and (bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L19	49	18 and (modulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L20	16857	(detect\$5 sens\$5 determin\$5 measur\$5 transducer analy\$5 examin\$5 study\$5 evaluat\$5 test\$5 ) near3 (crack)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:12
L21	4780	20 and (insulat\$5 substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:12
L22	437	21 and (oscillat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L23	189	22 and (induct\$5 coil )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:12
L24	56	23 and (resistor )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11

L25	47	24 and (frequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L26	27	25 and (bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L27	19	26 and (modulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:11
L28	591	(detect\$5 sens\$5 determin\$5 measur\$5 transducer analy\$5 examin\$5 study\$5 evaluat\$5 test\$5 ) near3 (crack).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:12
L29	88	28 and (insulat\$5 substrate).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:12
L30	16	29 and (induct\$5 oscillat\$5 coil ). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:17
L31	7	30 and (resistor bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:15
L32	34	29 and (pattern )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:29
L33	18	29 and (ring)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/12 10:29